

Ohio Environmental Protection Agency
Deviation Reporting Form

Sig

TY NAME: BASF Corp.			
TY ID (PREMISE NUMBER): 02-47-04-0195			
TY ADDRESS: 120 Pine Street, Elyria, OH 44035			
e or most recent modification date: 07/27/01		Includes Permit Numbers – P0111903, P0116505, P0117027	
TERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate “N/A” below in the From and To if this report does include semiannual deviation reporting)	
04/01/16	To: 6/30/2016	From: NA	To: NA
ages in <u>report</u> , including this one: 23 pages			
list any supporting attachments			
ng deadline: 07/31/12016			

NOTE: The deviation reporting period shall be stated in the following format: Axx/xx/xx through zz/zz/zz@ where xx/xx/xx and zz/zz/zz are the beginning and end dates for the deviation reporting period respectively.

SIGNATURE FOR STATEMENT

This statement shall be signed by the responsible official as defined in OAC rule 3745-77-01(GG). Making of any false material statement, representation or certification constitutes a violation of ORC 3704.05(H), and subjects the responsible party signing this statement to civil and/or criminal penalties as provided in ORC 3704.06(C) and ORC 3704.

CERTIFICATION

Based on information and belief formed after reasonable inquiry, I hereby affirm, as stated in OAC rule 3745-77-03(D), that the statements and information as transmitted in this Title V report are true, accurate and complete to the best of my knowledge.

TitleVDeviationReport

Authorized Signature: _____ Date _____

Name (Please Print) _____ Title _____

Ohio Environmental Protection Agency

Section I- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the "From" and "To" fields if this report does include semiannual deviation reporting)	
From: 04/01/16	To: 06/30/2016	From: NA	To: NA
Reporting deadline: 07/31/2016			

Ohio Environmental Protection Agency
Deviation Reporting

FACILITY NAME			
FACILITY ID (PREMISE NUMBER)			
FACILITY ADDRESS			
Issuance or most recent modification date			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/AQ below in the AF if this report does include semiannual deviation reporting)	
From:	To:	From:	To:
Reporting deadline			

SECTION I -

704.05(H), PART I General Terms and Conditions (Permit Requirement Reporting) (Table1)

Mark the following box with an >X= if no General Terms and Conditions deviations occurred

THERE WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART I OF THE TITLE V PERMIT DURING THE REPORTING PERIOD

Add rows as necessary to the following table for reported deviations (one for each General Term as applicable; see detailed instructions for more information) **(Table2)**

PERMIT RM scription	Reporting Requirement (choose one)		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTION PREVENTATIVE MEASURE
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION		
				DATE / TIME START	DATE / TIME END			

Ohio Environmental Protection Agency
Deviation Reporting

FACILITY NAME			
FACILITY ID (PREMISE NUMBER)			
FACILITY ADDRESS			
Issuance or most recent modification date			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate AN/A@ below in the AFr this report does include semiannual deviation reporting)	
From:	To:	From:	To:
Reporting deadline			

PERMIT RM escription	Reporting Requirement (choose one)		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTION PREVENTATIVE MEASURE
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION		
				DATE / TIME START	DATE / TIME END			

Ohio Environmental Protection Agency

Section II- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 04/01/16	To: 06/30/2016	From: NA	To: NA
Reporting deadline: 07/31/2016			

Section II - Part II Facility-wide Permit Requirement Reporting**Insignificant Emissions Unit Negative Declarations (Table1)**

List each insignificant emissions unit where no deviations of any PTI terms or applicable requirements for the listed emissions unit occurred, or add rows as necessary to the deviation reporting table (see next page) for reported deviations (one for each term as applicable; see detailed instructions for more information)

WERE NO DEVIATIONS OF ANY PTI TERMS OR APPLICABLE REQUIREMENTS FOR THE FOLLOWING LISTED INSIGNIFICANT EMISSIONS UNITS IDENTIFIED IN PART II.A
E V PERMIT:

Tray Dryers, Littleford mixer

HC-11 Tanks

Nitric Acid Dilution

ZR Sinter Furnace

Ammonia Stripper

Horne Tableting Machines

Kewanee Boiler, rated at 8.6 MMBTU/hr

Kewanee Boiler, rated at 8.6 MMBTU/hr

Ohio Environmental Protection Agency
 Section II- Page 2
 Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 04/01/16	To: 06/30/2016	From: NA	To: NA
Reporting deadline: 07/31/2016			

WERE NO DEVIATIONS OF ANY PTI TERMS OR APPLICABLE REQUIREMENTS FOR THE FOLLOWING LISTED INSIGNIFICANT EMISSIONS UNITS IDENTIFIED IN PART II.A
 E V PERMIT:

Kewanee Boiler, rated at 8.6 MMBTU/hr
 Kewanee Boiler, rated at 8.6 MMBTU/hr
 Building 27 Spin Flash Dryer

Ohio Environmental Protection Agency
Section II- Page 3
Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 04/01/16	To: 06/30/2016	From: NA	To: NA
Reporting deadline: 07/31/2016			

Facility-wide Permit Requirements Terms and Conditions (Permit Requirement Reporting) - Negative Declarations (mark with an >X= if applicable) **(Table 2)**

THERE WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART II OF THE TITLE V PERMIT DURING THE REPORTING PERIOD SPECIFIED IN THIS REPORT

Section II - Part II Facility-wide and/or IEU permit requirement (Permit Requirement Reporting) - Deviation Reporting (Table 3)

Add rows as necessary to the following table for reported deviations (one for each Term as applicable; see detailed instructions for more information)

Description of IEU T is for	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUN WRIT REPOR DATE (If no reports state NO R in the spac	
	Quarterly	Semi- Annual		DEVIATION DURATION							DESCRIPTION AND MAGNITUDE OF THE DEVIATION
				DATE / TIME START	DATE / TIME END						

Ohio Environmental Protection Agency
Section II- Page 4
Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 04/01/16	To: 06/30/2016	From: NA	To: NA
Reporting deadline: 07/31/2016			

Description of IEU T as for	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION ? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION WRITTEN REPORT DATE (If no reports were made, state NO REPORTS in the space below)	
	Quarterly	Semi-Annual		DEVIATION DURATION							DESCRIPTION AND MAGNITUDE OF THE DEVIATION
				DATE / TIME START	DATE / TIME END						

Ohio Environmental Protection Agency

Section III- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

Ohio Environmental Protection Agency

Section III- Page 1

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To boxes if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

Section III - Part III Emissions Unit Terms and Conditions (Permit Requirement Reporting) - Negative Declarations (Table 1)

List each emissions unit where no deviations of any terms for the listed emissions unit occurred, or add rows as necessary to the second table (see next page) for reported deviations (one for each term as applicable; see detailed instructions for more information)

WERE NO DEVIATIONS OF ANY OF THE TERMS AND CONDITIONS OF PART III OF THE TITLE V PERMIT FOR THE FOLLOWING LISTED EMISSIONS UNITS:

Emissions Unit ID	Please place an >X= below if there were no Quarterly Deviations - If an >X= is not indicated, the deviation(s) must be identified in Table2 below	If applicable, please place an >X= below if there were no Semiannual Deviations - If an >X= is not indicated, the deviation(s) must be identified in Table2 below
	X	X
	X	X
	X	X
		X
		X
	X	X

Ohio Environmental Protection Agency

Section III- Page 2

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X

Ohio Environmental Protection Agency

Section III- Page 3

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

	X	X
		X
	X	X
		X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X

Ohio Environmental Protection Agency

Section III- Page 4

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X
	X	X

Ohio Environmental Protection Agency

Section III- Page 5

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

	X	X

Ohio Environmental Protection Agency

Section III- Page 6

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

Section III - Part III Emissions Unit Terms and Conditions (Permit Requirement Reporting) - Deviation Reporting (Table2)

Add rows as necessary to the following table for reported deviations (one for each Term as applicable; see detailed instructions for more information) - Please group deviations for each emissions unit that has deviations of multiple terms.

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION		PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state <u>NO</u> REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state <u>NO</u> REPORTS in the space below)	
	Quarterly	Semi- Annual		DEVIATION DURATION							DESCRIPTION AND MAGNITUDE OF THE DEVIATION
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	04/03/16 1600	04/08/16 0700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken offline	no	no	

Ohio Environmental Protection Agency

Section III- Page 7

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	04/08/16 1900	04/13/16 1100	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 8

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	04/16/16 1700	04/17/16 0100	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 9

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	04/27/16 1100	05/01/16 0100	ΔP less than 3"Wc across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 10

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	05/07/16 2100	05/09/16 0800	ΔP less than 3"Wc across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 11

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	05/16/16 1500	05/23/16 0200	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 12

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	05/30/16 2000	06/09/16 0400	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 13

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/9/16 1100	6/9/16 1700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 14

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/10/16 0400	6/10/16 1130	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 15

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/16/16 0100	6/17/16 0800	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 16

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/18/16 1900	6/20/16 0100	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 17

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/20/16 1500	6/21/16 1300	ΔP less than 3"Wc across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 18

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	x		Pressure drop readings across the third stage of the Trimer scrubber	6/23/16 0000	6/25/16 1930	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 19

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state A NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the Trimer scrubber	4/6/16 1000	04/7/16 1900	ΔP less than 3"Wc across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 20

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	4/11/16 1700	4/12/16 2000	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 21

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	4/16/16 0100	4/18/16 1600	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 22

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	4/19/16 1700	4/20/16 1400	ΔP less than 3"W/C across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 23

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	4/21/16 1700	4/22/16 1700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 24

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	4/23/16 1300	4/23/16 1700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 25

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	5/2/16 0000	5/2/16 1045	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 26

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	5/4/16 0730	5/4/16 1600	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 27

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	5/7/16 2100	5/8//16 0730	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 28

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/2/16 1100	6/3/16 1900	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 29

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/4/16 0800	6/8/16 1200	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 30

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/9/16 1100	6/9/16 1700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 31

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state A NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/9/16 1100	6/9/16 1700	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	the

Ohio Environmental Protection Agency

Section III- Page 32

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/10/16 0400	6/10/16 1130	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 33

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/16/16 0100	6/17/16 0800	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 34

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/18/16 1900	6/18/16 2300	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 35

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/20/16 0100	6/20/16 1100	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 36

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/23/16 0000	6/23/16 1000	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 37

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6"at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/23/16 2000	6/25/16 1930	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	

Ohio Environmental Protection Agency

Section III- Page 38

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
1)	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 6" at all times while the emissions unit is in operation.	X		Pressure drop readings across the third stage of the Trimer scrubber	6/26/16 2000	6/30/16 1500	ΔP less than 3"WC across third stage	Scrubber water flow rate/inlet exhaust flow issues	Calciner taken off line	no	no	
1)	A.I.1 Emissions of particulate matter shall not exceed 1.62 pounds per hour	X		Visual observation	6/20/16 2030	6/20/16 2230	>1.62 pounds of particulate matter emitted in a one hour period	Clogged discharge line on dust collector	Blockage removed	yes	yes	

Ohio Environmental Protection Agency

Section III- Page 39

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/2/16 1900	4/3/16 0100	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 40

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/4/16 2000	4/5/16 0500	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 41

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/7/16 1900	4/8/16 0900	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 42

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/8/16 1900	4/9/16 0300	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 43

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/13/16 1100	4/14/16 1500	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 44

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/23/16 1300	4/24/16 0100	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 45

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/24/16 1100	4/25/16 1300	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 46

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B. II. 1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/26/16 0000	4/26/16 1400	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 47

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/27/16 1700	4/28/16 0100	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 48

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/28/16 0900	4/28/16 1630	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 49

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the first stage of the scrubber shall be continuously maintained between 0 and 0.6"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/29/16 1100	4/29/16 1600	ΔP greater than 0.6"WC across first stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 50

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (If yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/2/16 1900	4/3/16 0100	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 51

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (If yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/7/16 1900	4/8/16 0300	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	No	No	

Ohio Environmental Protection Agency

Section III- Page 52

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (If yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/8/16 1900	4/11/16 0300	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	No	No	

Ohio Environmental Protection Agency

Section III- Page 53

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (If yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/13/16 2000	4/14/16 0300	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 54

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/25/16 0100	4/25/16 1300	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 55

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state AND REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state AND REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/25/16 1700	4/26/16 0000	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 56

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (If yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/27/16 1100	4/29/16 0100	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	No	No	

Ohio Environmental Protection Agency

Section III- Page 57

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the second stage of the scrubber shall be continuously maintained between 1 and 3"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/29/16 1100	4/29/16 1600	ΔP greater than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 58

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/2/16 1900	4/3/16 0100	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 59

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/4/16 2000	4/5/16 0500	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 60

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/7/16 1900	4/8/16 0900	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 61

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/9/16 0900	4/10/16 1900	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 62

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To fields if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/13/16 1100	4/14/16 1500	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 63

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To boxes if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
	Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
				DATE/TIME START	DATE/TIME END						
B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/23/16 1300	4/26/16 1400	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	

Ohio Environmental Protection Agency

Section III- Page 64

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From/To boxes if this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

s on	TITLE V PERMIT TERM NO & Description	Reporting Requirement (choose one) or both		ACTUAL METHOD USED TO DETERMINE COMPLIANCE	DEVIATION INFORMATION			PROBABLE CAUSE FOR THE DEVIATION	CORRECTIVE ACTIONS / PREVENTATIVE MEASURES TAKEN	WAS THIS DEVIATION ATTRIBUTABLE TO A MALFUNCTION? (Yes or No - If Yes, continue to the next column)	MALFUNCTION VERBAL REPORT(S) DATE(S) (If no reports were made, state NO REPORTS@ in the space below)	MA
		Quarterly	Semi- Annual		DEVIATION DURATION		DESCRIPTION AND MAGNITUDE OF THE DEVIATION					
					DATE/TIME START	DATE/TIME END						
	B.II.1-The pressure drop across the third stage of the scrubber shall be continuously maintained between 3 and 5"WC at all times while the emissions unit is in operation.	X		Pressure drop readings of the Trimer scrubber	4/27/16 1100	4/27/16 1700	ΔP less than 3"WC across the stage	Permit condition issue associated with P080	Corrective action plan submitted to the Ohio EPA.	no	no	
s	B.II.1-The pH of the scrubber liquor shall be maintained within the range of 6 to 11s.u.	X		pH meter readings	4/16/16 0100	4/16/16 0900	pH greater than 11	Excess caustic addition	pH adjusted	no	no	

See page 3 of the instructions at [SECTION III ADDITIONAL DETAILED INSTRUCTIONS FOR COMPLETING A DEVIATION REPORTING](#)

TitleVDeviationReport

BASF_114_005802

Ohio Environmental Protection Agency

Section III- Page 65

Deviation Reporting

FACILITY NAME: BASF Corp.			
FACILITY ID (PREMISE NUMBER): 02-47-04-0195			
FACILITY ADDRESS: 120 Pine Street, Elyria, OH 44035			
Issuance or most recent modification date: 07/27/01			
QUARTERLY Reporting Period		SEMIANNUAL Reporting Period (please indicate "N/A" below in the From this report does include semiannual deviation reporting)	
From: 01/01/16	To: 03/31/16	From: NA	To: NA
Reporting deadline: 04/30/16			

TABLE@ for guidance on this table.